INFORMATION DISCLOSURE STATEMENT LIST OF DOCUMENTS CITED BY APPLICANT		ATTY DOCKET NO: ALBRECHTSEN=2 SERIAL NO: 10/56		7,365		
		FIRST INVENTOR: ALBRECHTSEN, Morten				
			FILING DATE: October 20, 2008			
*			EXAMINER: Ballard		CONF. NO: 2440	
U.S. PAT	ENT DO	OCUMENTS (include at lea			*	
EXAM. INITIAL	ID	DOCUMENT NUMBER	FILING, ISSUE OR PUBLICATION DATE (MM-DD-YYYY)	PATENTEE OR APPLICANT	Relevant Passage(s)	1
	AA	5,693,488	12-02-1997	FANG, et al.		
	AB	5,837,813	11-17-1998	RUOSLAHTI, et al.		
	AC	5,840,689	11-24-1998	DANILOFF, et al.		1
	AD	6,313,265	11-06-2001	PHILLIPS, et al.		\top
	AE	6,576,607	06-10-2003	SCHACHNER		\top
	AF	6,749,850	06-15-2004	FINKELSTEIN, et al.		T
0	AG	7,167,819	01-23-2007	GIBSON, et al.		
	АН	7,504,490	03-17-2009	WEINSTOCK, et al.		T
	AF	2009-0305951	12-10-2009	KISELYOV, et al.		T
	AJ	12/745,129	05-27-2010	BEREZIN, et al.		
FOREIGN	I PATE	NT DOCUMENTS (include	at least document nu	nber, publication date ar	nd country)	
EXAM. INITIAL	ID	COUNTRY CODE & DOCUMENT NUMBER	PUBLICATION DATE MM-DD-YYYY	PATENTEE OR APPLICATION	Relevant Passage(s)	-
	AK	WO 01/96364	12-20-2001	SAFFELL, Jane Louise		
						-
EXAMINE	<u></u>			DATE CONSIDERED		

SUBSTITUTE FOR FORM IPC/SB/08		ATTY DOCKET NO: ALBRECHTSEN=2	SERIAL NO : 10/567,365	
INFORMATION DISCLOSURE STATEMENT LIST OF DOCUMENTS CITED BY APPLICANT		FIRST INVENTOR: ALBRECHTSEN, Morten	,	
		FILING DATE: October 20, 2008		
	-	EXAMINER: Ballard, K.	CONF. NO: 2440	
OTHER DOCUM	ENTS (include AUTHOR, ti	tle, name of publication, volume, pages & date	e of publication)	
AL	Berezin, et al., "The neur Development, vol. 3, pp.	al cell adhesion molecule", Current Opinion in Dru	ug Discovery &	
AM	BRUSES, et al., "Roles, r development", <u>Biochemi</u> e	BRUSES, et al., "Roles, regulation, and mechanism of polysialic acid function during neural development", Biochemie, vol. 83, pp. 635-643, 2001.		
AN	CAMBON, et al., "Post-training administration of a synthetic peptide ligand of the neural cell adhest molecule, C3d, attenuates long-term expression of contextual fear conditioning", NEUROSCIENCE vol. 122, pp. 183-191, 2003.			
AO	CHAN, et al., "Identification vol. 2, pp. 1574-1589, 19	on, classification, and analysis of beta-bulges in p 93.	roteins", <u>Protein Science</u> ,	
AP	CREMER, et al., "NCAM is essential for axonal growth and fasciculation in the hippocampus", Mol. C Neurosci., vol. 8, pp. 323-335, 1997.			
AQ	D'MELLO, et al., "Insulin-like growth factor and potassium depolarization maintain neuronal survival by distinct pathways: possible involvement of PI 3-kinase in IGF-1 signaling", j. neurosci., vol. 17, pp 1548-1560, 1997.			
AR	DANTZER, et al., "Modulation of social memory in male rats by neurohypophyseal peptides", Psychopharmacology, vol. 91, pp. 363-368, 1987.			
AS	DICKSON, et al., "Human Muscle Neural Cell Adhesion Molecule (N-CAM): Identification of a Muscle-Specific Sequence in the Extracellular Domain", <u>Cell</u> , vol. 50, pp. 1119-1130, September 25, 1987.			
AT	DITLEVSEN, et al., "The role of phosphatidylinositol 3-kinase in neural cell adhesion molecule-mediated neuronal differentiation and survival", <u>JOURNAL OF NEUROCHEMISRY</u> , vol. 84, pp. 546-556, 2003.			
AU	DOHERTY, et al., "CAM-FGF Receptor Interactions: A Model for Axonal Growth", Mol. Cell Neurosci., vol. 8, pp. 99-111, 1996.			
AV	DZHANDZHUGAZYAN, et al., "Demonstration of (Ca(2+)-Mg2+)-ATPase activity of the neural cell adhesion molecule", FEBS Lett., vol. 336(2), pp. 279-83, December 27, 1993.			
AW	DZHANDZHUGAZYAN, et al., "Demonstration of an extracellular ATP-binding site in NCAM: functional implications of nucleotide binding", <u>Biochemistry</u> , vol. 36(49), pp. 15381-95, December 9, 1997.			
AX	EILERS, et al., "Role of the Jun kinase pathway in the regulation of c-Jun expression and apoptosis in sympathetic neurons", <u>J. Neurosci.</u> , vol. 18(5), pp.1713-24, March 1, 1998.			
AY	ERIKSSON, et al., "Refin resolution and analysis of 2(8), pp. 1274-84, Augus	ement of the structure of human basic fibroblast of presumed heparin binding sites by selenate substances.	growth factor at 1.6 A stitution", <u>Protein Sci</u> , vol.	
EXAMINER	DATE CONSIDERED			

INFORMATION DISCLOSURE STATEMENT LIST OF DOCUMENTS CITED BY APPLICANT		OR FORM IPC/SB/08	ATTY DOCKET NO: ALBRECHTSEN=2	SERIAL NO: 10/567,365	
		Carrier of the Arib	FIRST INVENTOR: ALBRECHTSEN, Morten		
			FILING DATE: October 20, 2008		
			EXAMINER: Ballard, K.	CONF. NO: 2440	
OTHER D		ENTS (Continued) (inclu	de AUTHOR, title, name of publication, volume	e, pages & date of	
ривнсанс	AZ		xtracellular Domains of the Neural Cell Adhesion nctions", <u>Journal of Cell Biology</u> , Rockefeller Unive		
	ВА	FURKA, et al., "General method for rapid synthesis of multicomponent peptide mixtures", int J Pept Protein Res., vol. 37(6), pp. 487-93, June 1991.			
	BB	HARTZ, et al., "A synthetic peptide ligand of NCAM affects exploratory behaviour and memory in rodents", PHARMACOLOGY, BIOCHEMISTRY AND BEHAVIOR, vol. 75, pp. 861-867, 2003.			
	BC	HATTEN, et al., "In vitro neurite extension by granule neurons is dependent upon astroglial-derived fibroblast growth factor", <u>Dev Biol</u> , vol. 125(2), pp. 280-9, February 1988.			
	BD	HORSTKORTE, et al., "The fourth immunoglobulin-like domain of NCAM contains a carbohydrate recognition domain for oligomannosidic glycans implicated in association with L1 and neurite outgrowth", J. Cell Biol., vol. 121(6), pp. 1409-21, June 1993.			
	BE	HULLEY, et al., "L1 neural cell adhesion molecule is a survival factor for fetal dopaminergic neurons J Neurosci Res., vol. 53(2), pp. 129-34, July 15, 1998.			
	BF	JENSEN, et al., "Structure and interactions of NCAM modules 1 and 2, basic elements in neural ce adhesion", Nat Struct Biol, vol. 6, pp. 486-93, May 5, 1999.			
	BG	JESSEN, et al., "Neural Cell Adhesion Molecule-Mediated Neurite Outgrowth Is Repressed by Overexpression of HES-1", <u>JOURNAL OF NEUROSCIENCE RESEARCH</u> , vol. 71, pp. 1-6, 2003			
	ВН	JESSEN, et al., "The transcription factors CREB and c-Fos Play key roles in NCAM-mediated neuritogenesis in PC12-E2 cells. <u>Journal of Neurochemistry</u> , vol. 79, pp. 1149-1160, 2001.			
	ВІ	KASPER, et al., "Structural basis of cell-cell adhesion by NCAM", Nat Struct Biol, VOL. 7(5), PP. 393, May 2000.			
	BJ	KASPER, et al., "Functional Characterization of NCAM Fibronection Type III Domains: Demonstrat of Modulatory Effects of the Proline-Rich Sequence Encoded by Alternatively Spliced Exons a and AAG", Journal of Neuroscience Research, vol. 46, pp. 173-186, 1996.			
	BK	KISELYOV, et al., "The first immunoglobulin-like neural cell adhesion molecule (NCAM) domain is involved in double-reciprocal interaction with the second immunoglobulin-like NCAM domain and in heparin binding", J Biol Chem, vol. 272(15), pp. 10125-34, April 11, 1997.			
	BE	Identification of a neurito	RACT, "Structure of the second fibronectin type III ogenic site" <u>European Journal of Neuroscience,</u> vo	d. 12, no. 11, 2000 .	
	ВМ	KLEMENTIEV, et al., "A signs and cognitive impa	neural cell adhesion molecule-derived peptide red airment induced by Abeta(25-35)", <u>Neuroscience</u> ,	duces neuropathological vol. 145, pp. 209-224, 2007.	
EXAMINE	R		DATE CONSIDERED		

INFORMATION DISCLOSURE STATEMENT LIST OF DOCUMENTS CITED BY APPLICANT		OR FORM IPC/SB/08	ATTY DOCKET NO: ALBRECHTSEN=2	SERIAL NO: 10/567,369	
			FIRST INVENTOR: ALBRECHTSEN, Morten		
			FILING DATE: October 20, 2008		
			EXAMINER: Ballard, K.	CONF. NO: 2440	
OTHER publicat	DOCUM	ENTS (Continued) (inclu	de AUTHOR, title, name of publication, volu	ıme, pages & date of	
	BN	KLEMENTIEV, et al., "A against developmental c 20, pp. 527-536, 2002.	peptide agonist of the neural cell adhesion mo efects induced by a teratogen pyrimethamine	plecule (NCAM), C3, protects , Int. J. Devl Neuroscience, vol.	
-	ВО	Activation of Protein Kin	al Cell Adhesion Molecule-Stimulated Neurite ase C and the Ras-Mitogen-Activated Protein (6), pp. 2238-2246, March 15, 2000.	Outgrowth Depends on Kinase Pathway", <u>The Journal</u>	
	BP	LAM, et al., "A new type 354, pp. 82-84, Novemb	of synthetic peptide library for identifying ligan er 7, 1991.	d-binding activity", nature, vol.	
	BQ	MING, et al., "A fibroned 98, NO. 2, PP. 620-624,	tin fragment inhibits tumor growth, angiogenes January 16, 2001.	sis, and metasis", <u>PNAS</u> , VOL.	
	BR	PEDERSEN, et al., "Neuritogenic and Survival-Promoting Effects of the P2 Peptide Derived From a Homphilic Binding Site in the Neural Cell Adhesion Molecule", <u>JOURNAL OF Neuroscience Researd</u> vol. 75, pp. 55-65, 2004.			
	BS	RANHEIM, et al., "Homophilic adhesion mediated by the neural cell adhesion molecule involves multiple immunoglobulin domains", <u>Proc Natl Acad Sci USA</u> , vol. 93(9), pp. 4071-5, April 30, 1996.			
	ВТ	RAO, et al., "Identification of a peptide sequence involved in homophilic binding in the neural cell adhesion molecule", <u>J Cell Biol</u> , vol. 118(4), pp. 937-49, August 1992.			
	BU	RAO, et al., "Mechanism of homophilic binding mediated by the neural cell adhesion molecule NCAN Evidence for isologous interaction", <u>J Biol Chem.</u> , vol. 269(44), pp. 27540-8, November 4, 1994.			
	BV	Retzler, et al., "Analysis of neurocan structures interacting with the neural cell adhesion molecule N-CAM:, <u>J Biol Chem.</u> , 271(44):27304-10, Nov. 1, 1996.			
	BW	RONN, et al., "NCAM-antibodies modulate induction of long-term potentiation in rat hippocampal CA1", Brain Res., vol. 677(1), pp. 145-51, April 17, 1995.			
	BX	RØNN et al., "Characterization of a novel NCAM ligand with a stimulatory effect on neurite outgrowth identified by screening a combinatorial peptide library", <u>European Journal of euroscience</u> , vol. 16, pp 1720-1730, 2002.			
	BY	RØNN et al., "Increased intracellular calcium is required for neurite outgrowth induced by a synthet peptide ligand of NCAM", <u>FEBS Letters</u> , vol. 519, pp. 60-66, 2002.			
	BZ	RØNN et al., "Neurite Outgrowth Induced by a Synthetic Peptide Ligand of Neural Cell Adhesion Molecule Requires Fibroblast Growth Factor Receptor Activation", <u>Journal of Neurochemistry</u> , vol. 75 pp. 665-671, 2000.			
	CA		nsights into the diversity and function of neuro eurosci., vol. 26, pp. 207-238, 2003.	nal immunoglobulin superfamily	
EXAMINER			DATE CONSIDERE		

SUBSTITUTE FOR FORM IPC/SB/08		OR FORM IPC/SB/08	ATTY DOCKET NO: ALBRECHTSEN=2	SERIAL NO: 10/567,36	
INFORMATION DISCLOSURE STATEMENT LIST OF DOCUMENTS CITED BY APPLICANT			FIRST INVENTOR: ALBRECHTSEN, Mort	en	
			FILING DATE: October 20, 2008	-	
	-		EXAMINER: Ballard, K.	CONF. NO: 2440	
OTHER Depublication		ENTS (Continued) (included)	le AUTHOR, title, name of publication, volun	ne, pages & date of	
	СВ	the FGL-peptide, promot	al cell adhesion molecule-derived fibroblast groves early postnatal sensorimotor development at , vol. 141, pp. 1289-1299, 2006.	wth factor receptor agonist, nd enhances social memory	
	CC	SIBANDA, et al., "A syste density fitting and protein	ematic classification with applications to modeling engineering, <u>i mol boil</u> , vol. 206(4), pp. 759-77	ng by homology, electron 7, April 20, 1989.	
	CD	SKAPER, et al., "Neurotrophins rescue cerebellar granule neurons from oxidative stress-mediated apoptotic death: selective involvement of phosphatidylinositol 3-kinase and the mitogen-acitvated protein kinsae pathway", j Neurochem., vol. 70(5), pp. 1859-68, May 1998.			
	CE	SKLADCHIKOVA, et al., "Extracellular adenosine triphosphate affects neural cell adhesion molecule (NCAM)-mediated cell adhesion and neurite outgrowth", <u>J Neurosci Res</u> , vol. 57(2), pp. 207-18, July 15, 1999.			
	CF	SOROKA, et al., "Structure and Interactions of NCAM IgI-2-3 Suggest a Novel Zipper Mechanism for Homophilic Adhesion", <u>STRUCTURE</u> , vol. 10, pp. 1291-1301, October 2003.			
	CG	SOROKA, et al., "Induction of Neuronal Differentiation by a Peptide Corresponding to the Homopl Binding Site of the second Ig Module of the Neural Cell Adhesion Molecule", The Journal of Biology Chemistry, vol. 277, no. 27, pp. 24676-24683, Issue of July 5, 2002.			
	СН	VAN KAMPEN, et al., "AR-R 17779 improves social recognition in rats by activation of nicol receptors", Psychopharmacology, vol. 172, pp. 375-383, 2004.			
	CI	VILLALBA, et al., "Pituitary adenylate cyclase-activating polypeptide (PACAP-38) protects cerebe granule neurons from apoptosis by activating the mitogen-activated protein kinase (MAP kinase) pathway", J Neurosci, vol. 17(1), pp. 83-90, January 1, 1997.			
	CJ	WALMOD, et al., "Zipper transduction", Neurocher	s make signals: NCAM-mediated molecular into n Res., vol. 29, pp. 2015-2035, 2004.	eractions and signal	
	CK	WILMOT, et al., "Beta-turns and their distortions: a proposed new nomenclature", <u>Protein Eng.</u> , vol. 3(6), pp. 479-93, May 1990.			
	CL	growth factor", SCIENCE	nt for phosphatidylinositol-3 kinase in the preven 5, vol. 267(5206), pp. 2003-6, March 31, 1995.		
	СМ	November 16, 2010.			
,	CN				
,	СО	16, 2010.	on Application of Kiselyov, U.S. Serial No. 12/4	·	
	CP	Kiselyov, Amendment, or	n Application of Kiselyov, U.S. Serial No. 12/435	5,043, filed June 23, 2010.	
EXAMINER	₹		DATE CONSIDERED		

SUBSTITUTE FOR FORM IPC/SB/08 INFORMATION DISCLOSURE STATEMENT LIST OF DOCUMENTS CITED BY APPLICANT		ATTY DOCKET NO: ALBRECHTSEN=2	SERIAL NO: 10/567,365
		FIRST INVENTOR: ALBRECHTSEN, Morten	
		FILING DATE: October 20, 2008	
		EXAMINER: Ballard, K.	CONF. NO: 2440
publication)	IMENTS (Continued) (includ	e AUTHOR, title, name of publication, volume,	pages & date of
CC	Kiselyov, Preliminary Am December 23, 2009.	endment, on Application of Kiselyov, U.S. Serial N	o. 12/435,043, filed
CF	USPTO, Rejection, on Ap 2009.	oplication of Kiselyov, U.S. Serial No. 12/435,043,	mailed December 23,
			-
EXAMINER		DATE CONSIDERED	
EXAMINER: in	nitial if reference considered.	Draw line through citation if not in conformance an	<u>d</u> not considered. Include